

More Python Types & Functions

Luis Pedro Coelho

§

On the web: <http://luispedro.org>

On twitter: @luispedrocoelho

European Molecular Biology Laboratory

April 3, 2014



Set Type

```
numbers = set([1,2,5])
print 3 in numbers
numbers.add(4)
print numbers
numbers.add(1)
print numbers
print numbers | set(['Rita'])
print numbers - set([2,3])
```

Output:

```
False
set([1, 2, 4, 5])
set([1, 2, 4, 5])
set([1, 2, 4, 5, 'Rita'])
set([1, 4, 5])
```

None object

None

Object Identity

Object Identity

- A is B
- A is not B

Exercise

```
A = []  
B = []  
A.append(1)  
B.append(1)
```

```
print (A == B)  
print (A is B)
```

This prints:

(a)	(b)	(c)	(d)
True	False	False	True
True	True	False	False

Exercise Break

Consider the following code:

```
g2g = {  
    'PBANKA_000230': [ 'GO:0003899' ],  
    'PBANKA_000370': [ 'GO:0016740' ],  
    'PBANKA_010060': [ 'GO:0030430' ],  
    'PBANKA_010080': [ 'GO:0008270' ],  
}
```

(In real life, this would have 2420 entries)

Exercise Break

Consider the following code:

```
g2g = {  
    'PBANKA_000230': [ 'GO:0003899' ],  
    'PBANKA_000370': [ 'GO:0016740' ],  
    'PBANKA_010060': [ 'GO:0030430' ],  
    'PBANKA_010080': [ 'GO:0008270' ],  
}
```

(In real life, this would have 2420 entries)

How do you look up GO term for gene PBANKA_00230?

Exercise Break

Consider the following code:

```
g2g = {  
    'PBANKA_000230': [ 'GO:0003899' ],  
    'PBANKA_000370': [ 'GO:0016740' ],  
    'PBANKA_010060': [ 'GO:0030430' ],  
    'PBANKA_010080': [ 'GO:0008270' ],  
}
```

(In real life, this would have 2420 entries)

How do you look up GO term for gene PBANKA_00230?

(a)

`g2g[0]`

(b)

`g2g['PBANKA_00230']`

(c)

`g2g[00230]`

List Comprehensions

```
name = [ <expr> for <name> in <sequence> if <condition> ]
```

maps to

```
name = []  
for <name> in <sequence>:  
    if <condition>:  
        name.append(<expr>)
```

List Comprehensions Example

```
squares = [x*x for x in xrange(1,20)]
```

```
squares = []  
for x in xrange(1,20):  
    squares.append(x*x)
```

Functions I

```
def greet():  
    print 'Hello World'  
    print 'Still Here'
```

```
greet()  
greet()  
print 'Now here'  
greet()
```

Functions II

```
def greet(name):  
    print 'Hello {0}'.format(name)  
  
greet('World')  
greet('Luis')  
greet('Kim')
```

Functions III

```
def max(xs):  
    '''  
    M = max(xs)  
  
    Returns the maximum of ‘‘xs’’  
    '''  
    M = xs[0]  
    for x in xs[1:]:  
        if x > M:  
            M = x  
    return M
```

Multiple Assignment

A, B = 1, 2

Assign multiple elements at once.

```
def greet(name, greeting='Hello '):
```

```
    '''
```

```
    Greets person by name
```

```
    Parameters
```

```
    -----
```

```
    name: str
```

```
        Name
```

```
    greeting: str, optional
```

```
        Greeting to use
```

```
    '''
```

```
    print greeting, name
```

```
ret = greet('World')
```

```
for value in sequence:  
    ...
```

Sequences

- Lists
- Tuples
- Sets
- Dictionaries
- ...

Goals for next 30 minutes

- A quiz
- Do a few exercises.
- Play around.
- You can work alone, in pairs, in triples,...
- Looking up answers on the internet is technique, not cheating!

How do you access the first element of a list?

Assume `list` is a list:

- ❶ `list[1]`
- ❷ `list[0]`
- ❸ `list[-1]`
- ❹ `list(0)`
- ❺ `list(-1)`
- ❻ `list(1)`

How do you access the last element of a list?

Assume list is a list:

- ① `list[1]`
- ② `list(-0)`
- ③ `list[-1]`
- ④ `list(-1)`
- ⑤ `list(1)`
- ⑥ `list[-0]`

Exercises

Object Identity

What is the difference between the following two code examples:

A)

```
A = [1, 2, 3]
```

```
B = [1, 2, 3]
```

B)

```
A = [1, 2, 3]
```

```
B = A
```

Write a small piece of code (should be 2 or 3 lines) that behaves differently if you insert it after each of the two segments above.

Object Identity

What is the difference between the following two code examples:

A)

```
A = [1, 2, 3]
```

```
B = [1, 2, 3]
```

B)

```
A = [1, 2, 3]
```

```
B = A
```

Write a small piece of code (should be 2 or 3 lines) that behaves differently if you insert it after each of the two segments above.

```
B[0] = 0
```

```
print A
```

- 1 Learn about the built-in function `sum`
- 2 Write an implementation of this function

- 1 Learn about the built-in function `sum`
- 2 Write an implementation of this function

```
def sum(xs, start=0):  
    '''
```

```
    s = sum(xs, start=0)
```

```
    Returns the sum of all values in ‘‘xs’’ + ‘‘start’’ (wh  
    '''
```

```
    for x in xs:  
        start += x  
    return start
```



```
numbers = set([1,2])
for i in xrange(5):
    numbers.add(i)
print len(numbers)
```

This prints:

- 7
- 6
- 5
- 4

- Learn Python the Hard Way by Zed Shaw
(online for free or pay money for hard copy)
- <http://python.org>